Black & White Printer



RICOH SP 3600 DN



Compact and economical A4 printing

With an attractive initial purchase price and low Total Cost of Ownership, RICOH SP 3600DN A4 printer is the perfect device for low volume, cost-effective printing. It's also extremely compact, has a warm-up time of only 14 seconds, and prints up to 30 pages per minute (double-sided printing at 15 ppm). Easy to use and maintain, the SP 3600DN handles plain, thick or thin paper between 52 and 162 g/ m² and coated or card stock. In addition, its standard paper tray takes 250 sheets, while its optional extra tray takes a further 500 sheets.

- Your budget intact: competitive purchase price
- Cost-efficient: low running costs
- Eco-friendly: low power consumption
- Space-saving: highly compact



Easy printing at an attractive price

User friendly

Everything about the RICOH SP 3600DN is designed to make it a pleasure to work with. The operation panel with its 4-line LCD display is easy to use, with clear and legible instructions. Another practical feature is the easy grip handle of the paper tray.



Money Evelo

Cost efficient

With a perfect combination of an affordable initial purchase price and a low Total Cost of Ownership, the SP 3600DN is ideal for budget-conscious offices. The Typical Electricity Consumption value of 1.4 kWh is among the lowest in its sector.

Small footprint

An LED print head takes up much less space than the equivalent laser head. As such the SP 3600DN has a small footprint: you can install this device virtually anywhere as it takes up minimal office space.

Ricoh's total office solutions

Whatever equipment you need for your digital office – a printer, copier, fax, multifunctional device or software – you can find the appropriate solution from Ricoh's extensive line-up. Our solutions are tailored to company-specific needs, issues and challenges. Whether you are looking for cost reduction, productivity improvement, enhancing information security or environmental impact reduction we can help you to find the answer. After implementation, we offer comprehensive aftersales support.



RICOH SP 3600DN

MAIN SPECIFICATIONS

GENERAL

LED Technology:

Warm-up time: Approx. 19 seconds First output speed: Approx. 6.5 seconds Print speed: 30 pages per minute

CPU: 500 MHz

Memory: Standard: 256 MB 50,000 prints per month Duty cycle:

Duplex: Yes

370 x 392 x 268 mm Dimensions (W x D x H):

Weight: 14.5 kg

220 - 240 V, 50/60 Hz Power source:

PRINTER

Standard: PCL5e, PCL6, Adobe® PostScript® 3™ Printer language:

Print resolution: 1,200 x 1,200 dpi

PCL (45 fonts, International fonts: 13 Intellifonts), PS3 Fonts:

(136 fonts)

Interface: Standard: USB 2.0Ethernet 10 base-T/100 base-TX

TCP/IP Network protocol:

Windows® environments: Windows® XP/Vista/7/8/8.1/Server 2003/

Server 2003R2/Server 2008/Server 2008R2/Server 2012/

Mac OS environments: Macintosh OS X Native v10.6 or later

PAPER HANDLING

Recommended paper size: Standard Tray:

A4, B5, A5, B6, A6, LG, Letter, HLT, Executive, F,

Foolscap, Folio, 16K,

Custom size: Min. 100mm - Max. 216mm x Min.148mm - Max. 356mm (SEF) Min. 3.93" Max. 8.46" x Min. 5.82" - Max. 14.0" (SEF)

Bypass Tray:

A4, B5, A5, B6, A6, LG, Letter, HLT, Executive, F,

Foolscap, Folio, 16K,

Custom size: Min. 60mm - Max. 216mm x Min.127mm - Max. 900mm (SEF) 2.36" - Max. 8.50"x Min. 8.54" -

Max. 35.43"(SEF)

Option:

A4, B5, A5, B6, A6, LG, Letter, HLT, Executive, F,

Foolscap, Folio, 16K,

Custom size: Min. 100mm - Max. 216mm x Min. 148mm - Max. 356mm (SEF) Min. 3.93" - Max.

8.46" x Min.5.82" - Max. 14.0" (SEF)

Paper input capacity: Maximum: 850 sheets Maximum: 125 sheets Paper output capacity:

Paper weight: Standard paper tray(s): 52 - 162 g/m²

Optional paper tray(s): 52 - 162 g/m²

Bypass tray: 52 - 162 g/m² Duplex: 52 - 162 g/m²

Plain paper, Middle thick paper, Thick paper, Recycled Media capability:

paper, Colour paper, Letterhead, Pre-printed paper, Thin paper, Label paper, Envelopes, Transparencies

ECOLOGY

Maximum: Less than 1,030 W Power consumption:

Energy Saver mode: Less than 1.0 W

1 x 250-sheet paper tray, 1 x 500-sheet paper tray

CONSUMABLES

Starter toner: Approx. 1,500 prints Toner cartridge (regular yield):Approx. 3,000 prints Toner cartridge (high yield): Approx. 6,000 prints PCDU yield: Approx. 20,000 prints Maintenance kit: Approx. 120,000 prints

For availability of models, options and software, please consult your local Ricoh

supplier.



RICOH INDIA LIMITED: 2nd Floor, Salcon Aurum Building, Plot No. 4, District Centre, Jasola, New Delhi-110 025. Tel: (011) 49103000, 49103100, 49103200 SMS: 'RICOH' to 53456 | Email: ril.info@ricoh.co.in | www.ricoh.co.in



